

The Thai Journal of Pharmaceutical Sciences

Volume 5
Issue 2 1980

Article 10

1-1-1980

ทศสอขญมิเดิมของท่าน

n/a

Follow this and additional works at: <https://digital.car.chula.ac.th/tjps>



Part of the [Pharmacology Commons](#)

Recommended Citation

n/a (1980) "ทศสอขญมิเดิมของท่าน," *The Thai Journal of Pharmaceutical Sciences*: Vol. 5: Iss. 2, Article 10.
DOI: <https://doi.org/10.56808/3027-7922.1705>
Available at: <https://digital.car.chula.ac.th/tjps/vol5/iss2/10>

This Article is brought to you for free and open access by the Chulalongkorn Journal Online (CUJO) at Chula Digital Collections. It has been accepted for inclusion in The Thai Journal of Pharmaceutical Sciences by an authorized editor of Chula Digital Collections. For more information, please contact ChulaDC@car.chula.ac.th.



ກດສວບກຸມືເດີມບວບກ່ານ

PHARM QUIZ

1. The emetic action of morphine is due to
 - A. Irritation of gastrointestinal tract
 - B. Stimulation of cerebral cortex.
 - C. Stimulation of medullary vomiting center
 - D. Stimulation of emetic chemoreceptor trigger zone
 - E. None of these
2. The action of quinidine differs from that of digitalis in
 - A. Decrease irritability of cardiac muscle
 - B. Preventing passage of impulse to the ventricle
 - C. Increasing irritability of heart muscle
 - D. Reducing conductivity
 - E. None of the above
3. One specific side effect of dilantin administration is.
 - A. Severe gingival hyperplasia
 - B. Glare phenomenon
 - C. Cardiac failure
 - D. Respiratory failure
 - E. Nausea
4. Over use of digitalis may result in
 - A. Habituation
 - B. Tolerance
 - C. Addiction
 - D. Physical dependence
 - E. Cumulative poisoning
5. The fatal blood level of ethylalcohol is approximately.
 - A. 0.25 mg./vol.
 - B. 0.75 mg./vol.
 - C. 0.50 mg./vol.
 - D. 1.50 mg./vol.
 - E. 5.00 mg./vol

6. The action of digitalis is enhanced by.
- Sodium
 - Calcium
 - Magnesium
 - Potassium
 - Chloride
7. Dosage of anticonvulsants are adjusted.
- When attacks occur frequently
 - Every two weeks
 - Every two years
 - Only when side effects are seen
 - Seasonally
8. The first toxic symptoms of digitalis poisoning are.
- Gastrointestinal irritations
 - Undue depression of heart rate
 - Flushing of skin
 - Cerebral excitement
 - Coloured vision
9. BAL (british anti-lewisite) is used to counteract the toxic effects of
- Atropine
 - Mercury
 - Morphine
 - Barbiturates
 - Digitalis
10. Streptomycin can cause.
- 4 th. cranial nerve damage
 - 8 th. , , , ,
 - 10 th. , , , ,
 - 6 th. , , , ,
 - Blindness
11. The average digitalizing dose of digoxin is.
- 1.0 gm.
 - 1.0 mg.
 - 10.0 gm.
 - 0.1 gm.
 - 1.0 grain
12. Bisacodyl frequently can cause.
- Abdominal cramps
 - Constipation
 - Skin rashes
 - Dizziness
 - Nausea
- | | | | | | |
|------|------|-------|------|------|-------|
| 1. D | 5. C | 9. B | 4. E | 8. A | 12. A |
| 2. A | 6. B | 10. B | 3. E | 7. A | 11. B |