

6-1-2006

## A survey on physicians who were board-certified or had certificate of proficiency in occupational medicine

C. Plianpairoj

P. Sithisarankul

Follow this and additional works at: <https://digital.car.chula.ac.th/clmjjournal>



Part of the [Medicine and Health Sciences Commons](#)

---

### Recommended Citation

Plianpairoj, C. and Sithisarankul, P. (2006) "A survey on physicians who were board-certified or had certificate of proficiency in occupational medicine," *Chulalongkorn Medical Journal*: Vol. 50: Iss. 6, Article 3.

Available at: <https://digital.car.chula.ac.th/clmjjournal/vol50/iss6/3>

This Article is brought to you for free and open access by the Chulalongkorn Journal Online (CUJO) at Chula Digital Collections. It has been accepted for inclusion in Chulalongkorn Medical Journal by an authorized editor of Chula Digital Collections. For more information, please contact [ChulaDC@car.chula.ac.th](mailto:ChulaDC@car.chula.ac.th).

## A survey on physicians who were board-certified or had certificate of proficiency in occupational medicine

Chokchai Plianpairoj\*

Pomchai Sithisarankul\*

**Plianpairoj C, Sithisarankul P. A survey on physicians who were board-certified or had certificate of proficiency in occupational medicine. Chula Med J 2006 Jun; 50(6): 387 - 93**

**Objective** : *To follow up and solicit opinions from physicians who were board-certified or had certificate of proficiency in occupational medicine.*

**Design** : *Cross-sectional survey*

**Materials and Methods** : *A questionnaire was developed and proposed to all the members of the Examining Board of Occupational Medicine to ask for their comments and suggestions; changes were made where necessary before the questionnaire was finalized. The name list and addresses of the physicians were obtained from the Thai Medical Council. They were requested to self-administer the mailed questionnaire and before returning it for analyses.*

**Results** : *There were 76 physicians who were board-certified or had certificate of proficiency (61 males and 15 females). Thirty-nine physicians returned the questionnaire (31 males and 8 females). Thirty-four of them had certificate of proficiency while five were board-certified. Their average age was  $46.6 \pm 9.7$  years (range 27 - 72). Twenty-three of them worked in government hospitals/ organizations. Twenty-nine of them still worked in the field of occupational health/medicine. Twenty-nine of them provided*

\*Department of Preventive and Social Medicine, Faculty of Medicine, Chulalongkorn University

*service, 25 academic/research works, 20 administrative works, and 18 other works. Thirty of them replied of having problems/obstacles in this field. Thirty-three of them gave suggestions for improvement of occupational health/medicine in Thailand. Twenty-two of them suggested topics for the conference on occupational health/medicine. Twenty-one of them suggested issues that the Examining Board of Occupational Medicine should help them. Nineteen of them gave suggestions for the 2-month short course training program. And eight of them gave suggestions for the residency training program.*

**Conclusion** : *There is still limited number of occupational medicine physicians especially those certified. This is obviously not enough compared to workload and magnitude of occupational health problems in Thailand. Hence, it is crucial for concerned bodies to bring this field to high priority and produce more physicians.*

**Keywords** : *Occupational medicine, Environmental medicine.*

Reprint request: Sithisarankul P. Department of Preventive and Social Medicine, Faculty of Medicine, Chulalongkorn University, Bangkok 10330, Thailand.

Received for publication. November 23, 2005.

โชคชัย เปลี่ยนโพโรจน์, พรชัย สิทธิศรีณย์กุล. การสำรวจแพทย์ผู้มีหนังสืออนุมัติหรือวุฒิบัตร  
แสดงความรู้ความชำนาญในการประกอบวิชาชีพเวชกรรม สาขาเวชศาสตร์ป้องกัน แขนง  
อาชีวเวชศาสตร์. จุฬาลงกรณ์เวชสาร 2549 มี.ย; 50(6): 387 - 93

**วัตถุประสงค์** : เพื่อติดตามศึกษาและสอบถามความเห็นแพทย์ผู้มีหนังสืออนุมัติหรือ  
วุฒิบัตรแสดงความรู้ความชำนาญในการประกอบวิชาชีพเวชกรรม  
สาขาเวชศาสตร์ป้องกัน แขนงอาชีวเวชศาสตร์

**รูปแบบการศึกษา** : สำรวจแบบตัดขวาง

**วัสดุและวิธีการ** : ผู้วิจัยได้พัฒนาแบบสอบถามขึ้น และนำเสนอให้คณะกรรมการฝึกอบรม  
และสอบ ฯ สาขาเวชศาสตร์ป้องกัน แขนงอาชีวเวชศาสตร์ เพื่อให้ข้อคิดเห็น  
และปรับปรุงแก้ไข กับได้ประสานขอรายชื่อและที่อยู่ติดต่อได้ของผู้มี  
หนังสืออนุมัติหรือวุฒิบัตรดังกล่าว จากสำนักงานเลขาธิการแพทยสภา  
แล้วได้ทำการส่งแบบสอบถามดังกล่าวไปทางไปรษณีย์ เมื่อได้แบบสอบถาม  
คืนมาก็ลงรหัสข้อมูลและประมวลผล

**ผลการศึกษา** : มีผู้มีหนังสืออนุมัติหรือวุฒิบัตร 76 คน (ชาย 61 หญิง 15 คน) ตอบแบบ  
สอบถามทั้งสิ้น 39 ฉบับ (ชาย 31 หญิง 8 คน) มีหนังสืออนุมัติ 34 คน  
วุฒิบัตร 5 คน อายุอยู่ในพิสัย 27 - 72 ปี ( $46.6 \pm 9.7$  ปี) ส่วนใหญ่ปฏิบัติ  
งานอยู่ในโรงพยาบาล/หน่วยงานของรัฐ (23 คน) ยังปฏิบัติภารกิจหลัก  
ทางด้านงานอาชีวเวชศาสตร์หรือด้านอาชีวอนามัย (29 คน) ปฏิบัติงาน  
บริการ 29 คน, งานวิชาการ / วิจัย 25 คน, งานบริหาร 20 คน และงานอื่น ๆ  
18 คน มีปัญหาหรืออุปสรรคในการปฏิบัติงานด้านอาชีวเวชศาสตร์หรือ  
อาชีวอนามัย (30 คน) ให้ข้อเสนอแนะเพื่อการพัฒนา งาน อาชีวเวชศาสตร์  
และอาชีวอนามัยในประเทศไทย (33 คน) เสนอหัวข้อการประชุมวิชาการ  
ที่อยากเข้าร่วมหรืออยากให้มีขึ้นในส่วนของอาชีวเวชศาสตร์และอาชีว  
อนามัย (22 คน) เสนอสิ่งที่ประสงค์ให้คณะกรรมการฝึกอบรมและสอบ ฯ  
ช่วยเหลือ (21 คน) ให้ข้อเสนอแนะสำหรับหลักสูตรระยะสั้น (19 คน) และ  
ให้ข้อเสนอแนะสำหรับหลักสูตรแพทย์ประจำบ้าน (8 คน)

**สรุปผลการศึกษา** : แพทย์อาชีวเวชศาสตร์ที่มีหนังสืออนุมัติหรือวุฒิบัตร แสดงความรู้ความ  
ชำนาญในการประกอบวิชาชีพเวชกรรมแขนงอาชีวเวชศาสตร์ยังมีอยู่น้อย  
มากในประเทศไทย นับได้ว่าไม่เพียงพอกับภาระงานและกับปัญหาด้าน  
อาชีวอนามัยในประเทศไทย สมควรที่ผู้มีส่วนเกี่ยวข้องจะได้ให้ความสำคัญ  
และร่วมกันผลักดันให้มีการผลิตแพทย์ด้านนี้เพิ่มเติม

**คำสำคัญ** : อาชีวเวชศาสตร์, เวชศาสตร์สิ่งแวดล้อม

In 1992, The Thai Medical Council had appointed a group of physicians, chaired by Dr. Udom Ektasang, to formally prepare the residency training program in occupational medicine. The task was completed in 1996 and Chulalongkorn Medical School began to recruit residents into this program in 1998. Since the program and the physicians who were involved in this field had never been systematically explored<sup>(1-4)</sup>, this research aims to do this to see the opportunity for improvement.

### Materials and Methods

We developed a questionnaire in order to follow up and solicit opinions from the physicians who were board-certified or had certificate of proficiency in occupational medicine, which is a branch of preventive medicine. The questionnaire was proposed to every member of the Examining Board for their comments and suggestions, and then necessary changes were made before the questionnaire was finalized. We officially obtained the name list and addresses of the physicians from the Thai Medical Council. We learned that there were 77 of them, 61 males and 16 females. And one of the female had passed away. This made our study population to be 76 (61 males and 15 females). In September 2005, we mailed the questionnaire to them and asked them to reply in a prepared envelope. One month later, we re-sent or faxed the questionnaire to those who did not reply. We entered the data and analyzed in Microsoft Excel.

### Results

Thirty-nine physicians returned the questionnaire yielding a response rate of 51.3 percent. Thirty-one males replied (50.8 percent response rate), and

eight females replied (53.3 percent response rate). Thirty-four of them had certificate of proficiency, while five were board-certified. Their average age was  $46.6 \pm 9.7$  years (ranged 27 – 72). The year that they were certified ranged from 1996 to 2005. Ten of them worked as university faculties, 23 worked in government hospitals/organizations, and six worked in private hospitals/organizations. Twenty-nine of them still worked in the field of occupational health/medicine, whereas ten of them did not (Table). Twenty-nine of them provided service, 25 academic/research works, 20 administrative works, and 18 other works. This other work was serving as member of committee related to occupational health/medicine, working in health promotion network, etc. Thirty of them replied of having problems/obstacles in working in this field, these were: 8 stated having internal administrative problems; 6 stated lack of personnel/equipment/resources; 5 stated having co-ordination problems or external administrative problems; 4 stated lack of supportive policy; 4 stated legal/information problems; 2 stated having too much work to do; 1 stated not having enough knowledge. Thirty-three of them gave suggestions for improvement of occupational health/medicine in Thailand, these were: 10 stated academic and man power development; 7 stated improvement of related laws and regulations; 6 stated improvement of administration, integration and networking; 5 stated improvement of policy; 3 stated improvement of public relation and advocacy; 2 stated improvement of supportive system including information and laboratory.

**Table 1.** Characteristics of the participants.

Variable	Number
<b>Gender</b>	
Male	31
Female	8
<b>Type of certification</b>	
Certificate of Proficiency	34
Board Certified	5
<b>Workplace</b>	
University	11
Government hospitals/organizations	24
Private hospitals/organizations	4
<b>Practice in occupational health/medicine</b>	
Yes	29
No	10

Twenty-two of them suggested topics for occupational health/medicine conference, these were:

- 6 stated research, research process, health hazards;
- 5 stated occupational health management, team work and team development, information management;
- 5 stated roles of occupational medicine physicians and related laws;
- 4 stated important occupational health problems that emerged during that time period;
- 1 stated environmental medicine;
- 1 stated health promotion.

Twenty-one of them suggested issues that the Examining Board of Occupational Medicine should help them, these were:

- 6 stated newsletter or website;
- 5 stated more number of short course training especially occupational health management and attitude of occupational medicine physicians;
- 3 stated more recognition and incentive;

2 stated improvement of others in occupational health team;

- 2 stated issuing practice guideline;
- 2 stated visiting them;
- 1 stated improvement of related laws.

Nineteen of them gave suggestions for the 2-month short course training program (currently held at Nopparat Ratchatane Hospital), these were:

- 4 stated obligating physicians in factories to attend or giving incentive;
- 3 stated more content and strict about attendance;
- 2 stated emphasizing new law such as health check-up;
- 2 stated more suitable time frame;
- 2 stated held at rural area;
- 1 stated going abroad;
- 1 stated including content of environmental medicine;
- 1 stated having refresher course;
- 1 stated having follow up and supportive activities;

1 stated making the course widely accepted;  
 1 stated emphasizing walk-through survey.  
 Eight of them gave suggestions for the residency training program, these were:  
 2 stated more strict recruiting process;  
 2 stated more field work practice and less ward practice;  
 1 stated work practice in various kinds of factories;  
 1 stated using log book to record training activities;  
 1 stated emphasizing fitness for work;  
 1 stated verbal evaluation and fed back during first year training.

### Discussion and Conclusion

The reason for relative low response rate may be the ignorance of physicians which usually occurs when they are asked to become study subjects, or the way they usually put this kind of activity to a lower priority when compared to their other works. The relative low response rate urges us to caution the generalization of the research results.

In Thailand, there is still limited number of occupational medicine physicians especially those who are certified. Obviously, this is not enough compared to workload and magnitude of occupational health problems in Thailand. Hence, it is crucial for concerned bodies to bring this field to a higher priority and to produce more physicians. These may be done through the increase of the number of resident recruited, as well as the number and occasion of 2-month short course training program, and improvement of practicing occupational medicine.<sup>(5,6)</sup>

The result from this study hints an improvement of this field. It also advocates the importance of environmental medicine/health<sup>(7,8)</sup> which is

closely related to occupational medicine/health, and occupational health teams.<sup>(9)</sup>

### References

1. Sithisarankul P, Wiriyakitjar W, Barnyen L. Occupational health practice, knowledge, and needs for further education of health professionals in the Eastern Seaboard region. *Chula Med J* 1997 Jun;41(6):475-85
2. Ngamkiatphaisan S, Promdit B, Prapansilp M, Sithisarankul P. The role and expectation of corporate physicians in occupational health services in Thailand. *Chula Med J* 1999 Jul; 43(7):457-74
3. Sithisarankul P, Ngamkiatphaisan S, Promdit B, Prapansilp M. Comparison of current practice and expectations in occupational health services between corporate physicians' and managers' perspectives in large-scale enterprises in Thailand. *Chula Med J* 1999 Sep;43(9):655-64
4. Promdit B, Ngamkiatphaisan S, Prapansilp M, Sithisarankul P. Occupational health administration and managers expectation to occupational physician's role among corporate enterprises in Thailand. *Chula Med J* 1999 Sep;43(10):723-37
5. Sithisarankul P. Training in Occupational Medicine in Thailand. *Intern Med J Thai* 2003 Apr;19(2): 86-7
6. Sithisarankul P. Who are occupational medicine physicians? *Social Security Office Gazette. Social Security Office* 2003;10(7) 9-11 [in Thai]
7. Sithisarankul P. Training in environmental medicine in Thailand. *Intern Med J Thai* 2003 Oct-Dec;

- 19(4):243-4
8. Sithisarankul P. Occupational versus environmental medicine: similarities and differences. Intern Med J Thai 2003 Oct-Dec;19(4):293
9. Sithisarankul P. Knowing key persons in occupational health. Social Security Office Gazette. Social Security Office 2004;11(2): 10-1 [in Thai]